

Emissco

Air Freshener Aerosol

Material Safety Data Sheet



1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

- 1.1 Product Identifier**
Material name : Air Freshener Wild Berry
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Product use : Air freshener spray
- 1.3 Details of the supplier of the safety data sheet**
Manufacturer/Supplier: Emissco Ltd
New Haden Road
Brookhouses Ind Est
Cheadle
Staffordshire
ST10 1UF

Tel. : 01538 752561

Email (for SDSs) : info@emissco.co.uk
- 1.4 Emergency tel. no.:** 01538 752561 (Available 9am-5pm)
National emergency telephone number: UK NPIS 0344 892 0111 Ireland NPIC (01) 809 2566
National Poisons Information Centre on 01 809 2166

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

According to Regulation (EC) 1272/2008: Classification, Labelling and Packaging of Substances and Mixtures (CLP):

| | |
|-------------------------------|--------------------------------|
| Physical and Chemical Hazards | Aerosol Category 1; H222; H229 |
| Human health | Not classified. |
| Environment | Not classified. |

2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC:

Signal word: Danger

Hazard Pictogram(s):



Hazard Statements: H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.

Precautionary Statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

P261 Avoid breathing vapour/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/eye/face protection.

P501 Dispose of contents/container in accordance with local/national regulations.

SAFETY DATA SHEET

Page 2 of 7
Issued: 08/12/2022; Revision No.1
Regulation (EU) 2020/878

2.3 Other hazards In use, may form flammable / explosive vapour-air mixture.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Hazardous components

| Chemical Name | CAS No./ EC No./ Index No./ Reg. No | Classification (1272/2008/EC) | SCL/ M-Factor/ ATE | Content |
|---|--|--|--------------------------|---------|
| LIQUEFIED PETROLEUM GAS (contains <0.1% 1,3-butadiene) | 68476-85-7 270-704-2 | Flam.Gas 1; H220 Gas under pressure; H280 | No relevant data. | 70-80% |
| ETHANOL | 64-17-5 200-578-6 01-2119457610-43 | Flam.Liq.2; H225 Eye Irrit.2; H319 | Eye Irrit.2 SCL: ≥50% | 20-30% |

See Section 16 for the full text of the H-statements noted above.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

Skin contact: Wash with soap and water. Seek medical advice if irritation develops.

Eye contact: Rinse with water for 10 minutes and seek immediate medical attention.

Ingestion: Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

Inhalation: Remove to fresh air. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed: No undue effects in normal usage.

4.3 Indication of any immediate medical attention and special treatment needed: None required.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide; dry chemical powder; alcohol or polymer foam.

Unsuitable extinguishing media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.

5.3 Advice for fire-fighters:

Special protective equipment: Wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Standard procedure for chemical fires. Use water spray to cool containers.

Do not allow fire run-off to enter drains.

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

6.4 References to other sections

See sections 8 and 13 for personal protection and disposal information.

7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

Do not breathe spray mist. Avoid contact with skin and eyes. Handle with care.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area, below 50°C. Protect from frost, heat and sunlight. Keep away from food, drink and animal feed.

7.3 Specific end use(s)

No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**8.1 Control parameters****Occupational exposure limit values**

| Chemical name | 8hr TWA | 15min STEL | Reference |
|-------------------------|---------------------------------|----------------------------------|--------------|
| Liquefied petroleum gas | 1750 mg/m ³ /1000ppm | 2810 mg/m ³ /1250 ppm | UK EH40/2005 |
| Ethanol | 1920 mg/m ³ /1000ppm | - | UK EH40/2005 |

Information on monitoring procedures:

Reference standard: EN 14042:2003 - "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

DNEL/PNEC: No information available.

8.2 Exposure controls

Appropriate engineering controls: Ensure there is sufficient ventilation of the area.

Personal protection

Eye/face protection: Chemical splash goggles if eye contact is reasonably probable. The selected goggles or glasses must satisfy the European standard EN 166.

Skin protection: Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time \geq 480 min. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice.

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn. The selected protective clothing has to satisfy the standard EN 13034, which describes clothing offering limited 8 hour protection against splashes. Use PPE that is chemically resistant to the product and prevents skin contact.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required, in which case use a respirator fitted with an organic vapour filter.

Environmental exposure controls: Do not discharge into drains or rivers.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | Aerosol |
| Colour | Colourless |
| Odour | Fragranced |
| Melting point/freezing point | No data available |
| Boiling point/range | No data available |
| Flammability | Extremely flammable |
| Lower/Upper explosion limit | 0.8% / 19.0% |
| Flash point | <0°C |
| Auto-ignition temperature | No data available |
| Decomposition temperature | No data available |
| pH | No data available |
| Kinematic viscosity | No data available |
| Solubility | Miscible with water; miscible with alcohols |
| Partition coefficient: n-octanol/water | Not applicable for mixtures |
| Vapour pressure | No data available |
| Density | No data available |
| Relative vapour density | No data available |
| Particle characteristics | Not applicable |

9.2 Other information: No data available

10. STABILITY AND REACTIVITY

| | |
|---|--------------------------------------|
| 10.1 Reactivity | Generally non-reactive. |
| 10.2 Chemical stability | Stable under normal conditions. |
| 10.3 Possibility of hazardous reactions | None if stored and used as directed. |
| 10.4 Conditions to avoid | None known. |
| 10.5 Incompatible materials | Acids. Strong oxidising agents. |
| 10.6 Hazardous decomposition products | Oxides of carbon. |

11. TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

The mixture as a whole has not been tested for toxicological effects. Toxicological data on individual components is listed below.

| Chemical name | Oral (LD50) | Inhalation (LC50) | Dermal (LD50) |
|-------------------------|--------------------|--------------------|--------------------|
| LIQUEFIED PETROLEUM GAS | Not applicable | >20mg/l (Rat) 4h | Not applicable |
| ETHANOL | >10470 mg/Kg (Rat) | >20mg/l (Mouse) 4h | >15800 mg/Kg (Rat) |

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT – single exposure: Based on available data, the classification criteria are not met.

STOT – repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards No information available.

Endocrine disrupting properties No ingredients have been identified as having endocrine disrupting properties.

12. ECOLOGICAL INFORMATION

The mixture as a whole has not been tested for ecological effects. Ecological data on individual components is listed below.

| Chemical name | Species | Test | Value |
|---------------|-------------|----------|------------|
| ETHANOL | Daphnia | EC50 48h | 12.34 mg/l |
| | Golden Orfe | LC50 48h | >100 mg/l |
| | Algae | EC50 48h | >100 mg/l |

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.1 Toxicity Based on available data, the classification criteria are not met.

12.2 Persistence and degradability Expected to be readily biodegradable.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil Soluble in water.

12.5 Results of PBT and vPvB assessment Contains no PBT or vPvB substances.

SAFETY DATA SHEET

Page 6 of 7
Issued: 08/12/2022; Revision No.1
Regulation (EU) 2020/878

| | |
|---|--|
| 12.6 Endocrine disrupting properties | No ingredients have been identified as having endocrine disrupting properties. |
| 12.7 Other adverse effects | |
| Persistent Organic Pollutant | This product does not contain any known or suspected substance. |
| Ozone Depletion Potential | This product does not contain any known or suspected substance. |


13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods


Disposal operations: Dispose of in accordance with local and national regulations.
Contact licensed waste disposal company. Most aerosols can be recycled.
Do not pierce or burn or use a cutting torch on the empty aerosol container.

14. TRANSPORT INFORMATION

General Information: The UN number for all aerosols is 1950. Aerosols packed in fibreboard cartons up to 30 kg gross weight, or shrink/stretch wrapped onto trays up to 20 kg gross weight may be transported as Limited Quantities, and should display the following symbol on the pack:



The following information relates to all other aerosols not transported as Limited Quantities:

| | | |
|---|---|------------------------------|
| 14.1 UN number | ADR/RID/ADN; IMDG; ICAO | 1950 |
| 14.2 UN proper shipping name | AEROSOLS | |
| 14.3 Transport hazard class(es) | ADR/RID/ADN Class | 2, 5F |
| | ADR/RID/ADN Class | Class 2, Gases |
| | ADR Label No. | 2.1 |
| | IMDG Class | 2 |
| | ICAO Class/Division | 2 |
| | ICAO Subsidiary risk | 2.1 |
| |  | |
| | Transport labels | |
| 14.4 Packing Group | ADR/RID/ADN; IMDG; ICAO | Not applicable for aerosols |
| 14.5 Environment hazards | Marine Pollutant | Not applicable for aerosols. |
| 14.6 Special precautions for user | EMS Tunnel restriction code | F-D, S-U (D) |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable for aerosols. | |

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Directives**

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

16. OTHER INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards: On basis of test data/Expert judgement.
Health hazards: Calculation method
Environmental hazards: Not classified

Full text of H-statements referred to under sections 2 and 3

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H229 Pressurised container: May burst if heated.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.
CAS: Chemical Abstract Service (division of the American Chemical Society).
STOT: Single Target Organ Toxicity
SE: Single exposure
DNEL: Derived no effect level – a level above which humans should not be exposed.
PNEC: Predicted No Effect Concentration
TWA: Time-weighted average.
SCL: Specific Concentration Limit
STEL: Short-term exposure limit.
PBT: Persistent, Bioaccumulative, Toxic.
vPvB: very Persistent and very Bioaccumulative.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

Emissco

Emissco Products Limited

Brookhouses Industrial Estate, New Haden Road
Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561

Email: info@emissco.co.uk

www.emissco.co.uk

Part of the Klarius Group

Emissco is part of the Klarius Group, providing centrally managed manufacturing and engineering service solutions to multiple industrial sectors.