



Page 1 of 9 Issued: 05/10//2022; Revision No.1 Regulation (EU) 2020/878

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Material name : SPA1028 Engine Degreaser Aerosol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Solvent cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Emissco Ltd

New Haden Road Brookhouses Ind Est

Cheadle Staffordshire ST10 1UF

Tel. : 01538 752561

Email (for SDSs): info@emissco.co.uk

1.4 Emergency tel. no.: 01538 752561 (Available 9am-5pm)

National emergency

telephone number:

UK NPIS 0344 892 0111 Ireland NPIC (01) 809 2566

National Poisons Information Centre on 01 809 2166

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) 1272/2008: Classification, Labelling and Packaging of Substances and Mixtures (CLP):

Physical and Chemical Hazards Aerosol Category 1; H222; H229

Human health Eye Irrit.2; H319; STOT SE3; H336; EUH066

Environment Not classified.

2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC

Signal word: Danger Contains: Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclics, <2% aromatics

Hazard Pictogram(s):





Hazard Statements: H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Supplementary Hazard

Statements EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary

Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Page 2 of 9 Issued: 05/10/2022; Revision No.1

Regulation (EU) 2020/878

Precautionary

Statements (continued): P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

P261 Avoid breathing vapour/spray.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/national regulations.

2.3 Other hazards In use, may form flammable / explosive vapour-air mixture.

Contains no substances classified as PBT/vPvB.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Hazardous components

Chemical Name	CAS No./ EC No./	Classification (1272/2008/EC)	SCL/ M-Factor/	Content
	Index No./		ATE	
	Reg. No			
HYDROCARBONS, C9-C11, n-	64742-48-9	Flam. Liq. 3; H226	No relevant data.	60-70%
ALKANES, ISOALKANES, CYCLICS,	919-857-5	Asp. Tox. 1; H304		
<2% AROMATICS	01-2119463258-33-xxxx	STOT SE3; H336		
		EUH066		
LIQUEFIED PETROLEUM GAS	68476-85-7	Flam.Gas 1; H220	No relevant data.	30-40%
(contains < 0.1% 1,3-butadiene)	270-704-2	Gas under pressure; H280		
	-			
ALCOHOLS C9-11, ETHOXYLATED	68439-46-3	Acute Tox.4; H302	No relevant data.	1-5%
		Eye Dam.1; H318		
BENZENESULFONIC ACID, 4-C10-	84961-74-0	Sk.Irrit.2; H315	No relevant data.	1-5%
13-SEC	284-664-9	Eye Irrit.2; H319		
ALKYL DERIVS., COMPDS. WITH 2-	01-2119985163-33-0000	Aq.Chron.3; H412		
PROPANAMINE				

See Section 16 for the full text of the H-statements noted above.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

Skin contact: Wash with soap and water. Seek medical advice if irritation develops.

Eye contact: Rinse with water for 10 minutes and seek immediate medical attention.

Ingestion: Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

Inhalation: Remove to fresh air. Seek medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed: May cause eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment needed: See eye contact information above.

Page 3 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide; dry chemical powder; alcohol or polymer foam.

Unsuitable extinguishing media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.

5.3 Advice for fire-fighters:

Special protective equipment: Wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Standard procedure for chemical fires. Use water spray to cool containers.

Do not allow fire run-off to enter drains.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

6.4 References to other sections: See sections 8 and 13 for personal protection and disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe spray mist. Avoid contact with skin and eyes. Handle with care.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area, below 50°C. Protect from frost, heat and sunlight. Keep away from food, drink and animal feed.

7.3 Specific end use(s): No information available.

Page 4 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

8hr TWA	15min STEL	Reference
$1000 \text{ mg/m}^3/150 \text{ ppm}$	_	UK SIA
1750 mg/m ³ /1000ppm	2810 mg/m ³ /1250 ppm	UK EH40/2005
	1000 mg/m ³ /150 ppm	1000 mg/m ³ /150 ppm -

Information on monitoring procedures:

Reference standard: EN 14042:2003 - "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

DNEL:

DNEL (workers)	Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclics, <2% aromatics	Benzenesulfonic acid, 4- C10-13-sec alkyl derivs., compds. with 2-propanamine	Reference
Chronic systemic effects (dermal)	300 mg/kg	0.94 mg/kg/day	Manufacturer
Chronic systemic effects (inhalation)	1500 mg/m ³	3.33 mg/m ³	Manufacturer

DNEL (consumers)	Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclics, <2% aromatics	Benzenesulfonic acid, 4- C10-13-sec alkyl derivs., compds. with 2-propanamine	Reference
Chronic systemic effects (dermal)	300 mg/kg	0.47 mg/kg/day	Manufacturer
Chronic systemic effects (inhalation)	900 mg/m ³	0.82 mg/m ³	Manufacturer
Chronic systemic effects (oral)	300 mg/kg	0.47 mg/kg/day	Manufacturer

PNEC:

Environment	Benzenesulfonic acid, 4-C10-13-sec alkyl derivs., compds. with 2-propanamine
Aquatic Compartment	
Fresh water	0.268 mg/l
Marine water	0.0268 mg/l
Water-intermittent (sporadic) release	0.268 mg/l
Dry Sediment (fresh water)	8.1 mg/kg
Dry Sediment (marine water)	8.1 mg/kg
Terrestrial Compartment	
Sewage treatment plant (STP)	1.67 mg/l
Dry soil	35 mg/kg

The hydrocarbon solvent is a hydrocarbon with a complex, unknown or variable composition (UVCB). Conventional methods of deriving PNECs are not appropriate and it is not possible to identify a single representative PNEC for such substances.

Page 5 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

8.2 Exposure controls

Appropriate engineering controls: Ensure there is sufficient ventilation of the area.

Personal protection

Eye/face protection: Chemical splash goggles if eye contact is reasonably probable. The selected goggles or glasses must satisfy the European standard EN 166.

Skin protection: Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time ≥ 480 min. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice.

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn. The selected protective clothing has to satisfy the standard EN 13034, which describes clothing offering limited 8 hour protection against splashes. Use PPE that is chemically resistant to the product and prevents skin contact.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required, in which case use a respirator fitted with an organic vapour filter.

Environmental exposure controls: Do not discharge into drains or rivers.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical stateAerosolColourColourlessOdourCharacteristicMelting point/freezing pointNo data availableBoiling point/rangeNo data availableFlammabilityExtremely flammable

Lower/Upper explosion limit 0.6% / 9.0% **Flash point** <0°C

Auto-ignition temperature

Decomposition temperature
pH
No data available
Emulsifies with water
Partition coefficient: n-octanol/water
Not applicable for mixtures

Vapour pressureNo data availableDensityNo data availableRelative vapour densityNo data availableParticle characteristicsNot applicable

9.2 Other information: No data available

Page 6 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

10. STABILITY AND REACTIVITY

10.1 Reactivity Generally non-reactive.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions None if stored and used as directed.

10.4 Conditions to avoidNone known.

10.5 Incompatible materials Strong acids. Strong alkalis. Strong oxidising agents.

10.6 Hazardous decomposition products Oxides of carbon. Oxides of nitrogen. Oxides of sulfur.

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

The mixture as a whole has not been tested for toxicological effects. Toxicological data on individual components is listed below.

Chemical name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
HYDROCARBONS, C9-C11, n-ALKANES, ISOALKANES,	>5000 mg/kg (Rat)	No data available	>3000 mg/kg (Rabbit)
CYCLICS, <2% AROMATICS			
LIQUEFIED PETROLEUM GAS	Not applicable	>20mg/l (Rat) 4h	Not applicable
ALCOHOLS C9-11, ETHOXYLATED	301mg/kg (Rat)	No data available	2001 mg/kg (Rabbit)
BENZENESULFONIC ACID, 4-C10-13-SEC	>2000 mg/kg (Rat)	No data available	No data available
ALKYL DERIVS., COMPDS. WITH 2-PROPANAMINE			

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Classified as Eye Irritant 2, H319: Causes serious eye irritation.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT – single exposure: The mixture is classified as STOT SE3, H336; May cause drowsiness or dizziness.

STOT – repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards Supplementary hazard: EUH066: Repeated exposure may cause skin dryness or cracking.

Endocrine disrupting propertiesNo ingredients have been identified as having endocrine disrupting properties.

Page 7 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

12. ECOLOGICAL INFORMATION

The mixture as a whole has not been tested for ecological effects. Ecological data on individual components is listed below.

Chemical name	Species	Test	Value
HYDROCARBONS, C9-C11, n-ALKANES,	Daphnia	LL/EL/IL50	Expected to be not toxic at limit of
ISOALKANES, CYCLICS, <2% AROMATICS	Fish	LL/EL/IL50	water solubility
	Algae	LL/EL/IL50	-
ALCOHOLS C9-11, ETHOXYLATED	Fish	LL50	>1- ≤10 mg/l
	Daphnia	LL50	>1- ≤10 mg/l
	Algae	EC50	>1- ≤10 mg/l

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.1 Toxicity Based on available data, the classification criteria are not met.

12.2 Persistence and degradability Expected to be readily biodegradable.

12.3 Bioaccumulative potentialNo data available

12.4 Mobility in soil Partially miscible in water.

12.5 Results of PBT and vPvB assessmentContains no PBT or vPvB substances.

12.6 Endocrine disrupting propertiesNo ingredients have been identified as having endocrine disrupting properties.

12.7 Other adverse effects

Persistent Organic PollutantThis product does not contain any known or suspected substance.

Ozone Depletion Potential This product does not contain any known or suspected substance.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations.

Contact licensed waste disposal company. Most aerosols can be recycled. Do not pierce or burn or use a cutting torch on the empty aerosol container.

14. TRANSPORT INFORMATION

General Information: The UN number for all aerosols is 1950. Aerosols packed in fibreboard cartons up to 30 kg gross weight, or shrink/stretch wrapped onto trays up to 20 kg gross weight may be transported as Limited Quantities, and should display the following symbol on the pack:



The following information relates to all other aerosols not transported as Limited Quantities:

Page 8 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

14.1 UN number ADR/RID/ADN; IMDG; ICAO 1950

14.2 UN proper shipping name AEROSOLS

14.3 Transport hazard class(es) ADR/RID/ADN Class 2, 5F

ADR/RID/ADN Class Class 2, Gases

ADR Label No. 2.1

IMDG Class 2

ICAO Class/Division 2

ICAO Subsidiary risk 2.1



Transport labels

14.4 Packing Group ADR/RID/ADN; IMDG; ICAO Not applicable for aerosols

14.5 Environment hazards Marine Pollutant Not applicable for aerosols.

14.6 Special precautions for user EMS F-D, S-U

Tunnel restriction code (D)

14.7 Maritime transport in bulk according to IMO instruments Not applicable for aerosols.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

16. OTHER INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards: On basis of test data/Expert judgement.

Health hazards: Calculation method Environmental hazards: Not classified

Page 9 of 9 Issued: 05/10/2022; Revision No.1 Regulation (EU) 2020/878

Full text of H-statements referred to under sections 2 and 3

Extremely flammable gas.

H220

H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.

CAS: Chemical Abstract Service (division of the American Chemical Society).

STOT: Single Target Organ Toxicity

SE: Single exposure

DNEL: Derived no effect level – a level above which humans should not be exposed.

PNEC: Predicted No Effect Concentration

TWA: Time-weighted average. SCL: Specific Concentration Limit STEL: Short-term exposure limit. PBT: Persistent, Bioaccumulative, Toxic.

vPvB: very Persistent and very Bioaccumulative.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]



Emissco Products Limited

Brookhouses Industrial Estate, New Haden Road Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561 Email: info@emissco.co.uk www.emissco.co.uk

Part of the Klarius Group

Emissco is part of the Klarius Group, providing centrally managed manufacturing and engineering service solutions to multiple industrial sectors.