

# Upholstery Cleaner Aerosol

Material Safety Data Sheet





# 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product Identifier		
	Material name :	SPA1013 Upholstery Cleaner	

**1.2** Relevant identified uses of the substance or mixture and uses advised against Product use : Cleaning foam

# 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Emissco Ltd New Haden Road Brookhouses Ind Est Cheadle

Staffordshire

	5110101
Tel. :	01538 752561
Email (for SDSs) :	orders@emissco.co.uk
Emergency tel. no.:	01538 752561 (Available 9am-5pm)
National emergency telephone number:	UK NPIS 0344 892 0111 Ireland NPIC (01) 809 2566 National Poisons Information Centre on 01 809 2166

# 2. HAZARDS IDENTIFICATION

1.4

#### 2.1 Classification of the substance or mixture According to Regulation (EC) 1272/2008: Classification, Labelling and Packaging of Substances and Mixtures (CLP):

Physical and Chemical Hazard	Aerosol Cat. 1; H222; H229
Human health	Sk.Irrit.2; H315; Eye Irrit.2; H319
Environment	Not classified

2.2 Label elements Labelling according to EC Directives: 1272/2008/EC: Signal word: Danger Hazard Pictogram(s):



Hazard Statements:	H222	Extremely flammable aerosol.
	H229	Pressurised container: May burst if heated.
	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
Precautionary		
Statements:	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
		No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C.
	P261	Avoid breathing vapour/spray.
	P280	Wear protective gloves/eye/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.

Precautionary

Statements (continued): P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P501

Dispose of contents/container in accordance with local/national regulations.

2.3 Other hazards None known.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures:

#### Hazardous components

Chemical Name	CAS No./ EC No./ Index No./ Reg. No	Classification (1272/2008/EC)	SCL/ M-Factor/ ATE	Content
LIQUEFIED PETROLEUM GAS (contains <0.1% 1,3-butadiene)	68476-85-7 270-704-2 -	Flam.Gas 1; H220 Gas under pressure; H280	No relevant data.	10-20%
PROPAN-2-OL	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	No relevant data.	1-5%
ALCOHOLS C9-11, ETHOXYLATED	68439-46-3 614-482-0 - 01-2119980051-45	Acute Tox.4; H302 Eye Dam.1; H318	No relevant data.	0.1-2%
SODIUM HYDROXIDE	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Eye Irrit. 2; H319: Skin Irrit. 2; H315: Skin Corr. 1B; H314: Skin Corr. 1A; H314:	$\begin{array}{c} {\rm SCL:} \ 0.5\% \leq {\rm C} < 2\% \\ {\rm SCL:} \ 0.5\% \leq {\rm C} < 2\% \\ {\rm SCL:} \ 2\% \leq {\rm C} < 5\% \\ {\rm SCL:} \ 2\% \leq {\rm C} < 5\% \end{array}$	0.5-<2%
(1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID, SODIUM SALT	29329-71-3 249-559-4 -	Eye Irrit.2; H319 Aq.Chron.4; H413	No relevant data.	0.1-2%
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5 230-785-7 -	Eye Irrit.2; H319	No relevant data.	0.1-2%
SODIUM XYLENESULPHONATE	1300-72-7 215-090-9 -	Eye Irrit.2; H319	No relevant data.	0.1-2%
1-METHOXY-2-PROPANOL	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	Flam.Liq.3; H226 STOT SE3; H336	No relevant data.	0.1-1%

See Section 16 for the full text of the H-statements noted above.

**Ingredient comments:** also contains <0.1% fragrance.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice: Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

Skin contact: Wash with soap and water. Seek medical advice if irritation develops.

Eye contact: Flush with water for 10 minutes and seek immediate medical advice.

Ingestion: Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

Inhalation: Remove to fresh air. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed: May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed: See skin and eye contact information above.

## **5. FIRE-FIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media:	Carbon dioxide; dry chemical powder; alcohol or polymer foam.
Suitable extinguisining media.	Carbon dioxide, dry chemical powder, alconor of porymer toam.

Unsuitable extinguishing media: High volume water jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting:	Irritating/toxic fumes may be release	ed at elevated temperatures.
speerine nuzurus auring nie ngrung.		

#### 5.3 Advice for fire-fighters:

Special protective equipment:Wear self-contained breathing apparatus. Use personal protective equipment.Further information:Standard procedure for chemical fires. Use water spray to cool containers.<br/>Do not allow fire run-off to enter drains.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

#### 6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

## 6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

6.4 References to other sections: See sections 8 and 13 for personal protection and disposal information.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Do not breathe spray mist. Avoid contact with skin and eyes. Handle with care.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area, below 50°C. Protect from frost, heat and sunlight. Keep away from food, drink and animal feed.

7.3 Specific end use(s): No information available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 Control parameters**

#### **Occupational exposure limit values**

Chemical name	8hr TWA	15min STEL	Reference
Liquefied petroleum gas	1750 mg/m <sup>3</sup> /1000ppm	2810 mg/m <sup>3</sup> /1250 ppm	UK EH40/2005
Propan-2-ol	999 mg/m <sup>3</sup> /400 ppm	1250 mg/m <sup>3</sup> /500 ppm	UK EH40/2005
Sodium hydroxide	-	2 mg/m <sup>3</sup>	UK EH40/2005
1-Methoxy-2-Propanol	100 ppm	150 ppm	UK EH40/2005 (Sk)

#### Information on monitoring procedures:

Reference standard: EN 14042:2003 - "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents"

#### **DNEL:**

DNEL (workers)	Propan-2-ol
Chronic systemic effects (dermal)	888 mg/kg/bw/day
Chronic systemic effects (inhalation)	$500 \text{ mg/m}^3$

DNEL (consumers)	Propan-2-ol
Chronic systemic effects (dermal)	319 mg/kg/bw/day
Chronic systemic effects (inhalation)	89 mg/m <sup>3</sup>
Chronic systemic effects (oral)	26 mg/kg bw/day

#### **PNEC:** No data available.

#### 8.2 Exposure controls

Appropriate engineering controls: Ensure there is sufficient ventilation of the area.

#### Personal protection

**Eye/face protection:** Chemical splash goggles if eye contact is reasonably probable. The selected goggles or glasses must satisfy the European standard EN 166.

**Skin protection:** Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time  $\geq$  480 min. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice. Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn. The selected protective clothing has to satisfy the standard EN 13034, which describes clothing offering limited 8 hour protection against splashes. Use PPE that is chemically resistant to the product and prevents skin contact. (Sk) noted above means can be absorbed through skin.

**Respiratory protection**: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required, in which case use a respirator fitted with an organic vapour filter.

Environmental exposure controls: Do not discharge into drains or rivers.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state	Aerosol
Colour	White
Odour	Fragranced
Melting point/freezing point	No data available
Boiling point/range	No data available
Flammability	Extremely flammable
Lower/Upper explosion limit	0.8% / 12.0%
Flash point	<0°C
Auto-ignition temperature	>230°C
Decomposition temperature	Not applicable
рН	11.3
Kinematic viscosity	No data available
Solubility	Miscible with water
Partition coefficient: n-octanol/water	Not applicable for mixtures
Vapour pressure	No data available
Density	No data available
Relative vapour density	No data available
Particle characteristics	Not applicable

9.2 Other information:

VOC Content: 17.3%

# **10. STABILITY AND REACTIVITY**

10.1 Reactivity	Generally non-reactive.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	None if stored and used as directed.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	None known.
10.6 Hazardous decomposition products	Oxides of carbon.

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

The mixture as a whole has not been tested for toxicological effects. Toxicological data on individual components is listed below.

Chemical name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Liquefied petroleum gas	Not applicable	>20mg/l (Rat) 4h	Not applicable
Alcohols, C9-11, ethoxylated	3488 mg/kg (Rat)	>1600 mg/m <sup>3</sup> (Rat) 4h	>2000 mg/kg (Rabbit)
Propan-2-ol	>5000 mg/kg (Rat)	No data available	>5000 mg/kg (Rabbit)
Sodium hydroxide	2000 mg/kg (Rat)	No data available	No data available
Hydroxyethylidene -1,1,-diphosphonic	>2850 mg/kg (Rat)	No data available	>5000 mg/kg (Rat)
acid, tetrasodium salt			

Acute toxicity:	Based on available data the classification criteria are not met.
Skin corrosion/irritation:	Classified as Sk.Irrit.2; H315
Serious eye damage/eye irritation:	Classified as Eye Irrit.2; H319
Respiratory or skin sensitisation:	Based on available data the classification criteria are not met.

Carcinogenicity:	Based on available data the classification criteria are not met.
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
STOT – single exposure:	Based on available data, the classification criteria are not met.
STOT – repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
11.2 Information on other hazards	No information available.
Endocrine disrupting properties	No ingredients have been identified as having endocrine disrupting properties.

# **12. ECOLOGICAL INFORMATION**

The mixture as a whole has not been tested for ecological effects. Ecological data on individual components is listed below.

Chemical name	Species	Test	Value
Alcohols, C9-11, ethoxylated	Fish	LC50 96h	5-7 mg/l
	Daphnia	EC50 48h	2.5 mg/l
	Algae	ErC50 96h	1.4 mg/l
Propan-2-ol	Daphnia	EC50 48h	>100 mg/l
	Golden ide	LC50 48h	>100 mg/l
	Algae	EC50 72h	>100 mg/l
Sodium hydroxide	Daphnia	EC50 24h	76 mg/l
	Rainbow trout	LC50 48h	45.4 mg/l
	Algae		No data available.
Hydroxyethylidene -1,1,-diphosphonic acid, tetrasodium salt	Fish	EC50 96h	368 mg/l
	Daphnia	LC50 48h	527 mg/l
	Algae	EC50 72h	9.16 mg/l

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.1 Toxicity	Based on available data the classification criteria are not met.
12.2 Persistence and degradability	The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
12.3 Bioaccumulative potential	Low potential for bioaccumulation.
12.4 Mobility in soil	Not expected to partition to sediment and wastewater.
12.5 Results of PBT and vPvB assessment	Contains no PBT or vPvB substances.
12.6 Endocrine disrupting properties	No ingredients have been identified as having endocrine disrupting properties.
12.7 Other adverse effects	
Persistent Organic Pollutant	This product does not contain any known or suspected substance.
Ozone Depletion Potential	This product does not contain any known or suspected substance.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations. Contact licensed waste disposal company. Most aerosols can be recycled. Do not pierce or burn or use a cutting torch on the empty aerosol container.

## **14. TRANSPORT INFORMATION**

General Information: The UN number for all aerosols is 1950. Aerosols packed in fibreboard cartons up to 30 kg gross weight, or shrink/stretch wrapped onto trays up to 20 kg gross weight may be transported as Limited Quantities, and should display the following symbol on the pack:



The following information relates to all other aerosols not transported as Limited Quantities:

14.1 UN number	ADR/RID/ADN; IMDG; ICAO	1950
14.2 UN proper shipping name	AEROSOLS	
14.3 Transport hazard class(es)	ADR/RID/ADN Class	2, 5F
	ADR/RID/ADN Class	Class 2, Gases
	ADR Label No.	2.1
	IMDG Class	2
	ICAO Class/Division	2
	ICAO Subsidiary risk	2.1
	FLAMMABLE	GAS
	Transport labels	
14 4 Decline Course		
14.4 Packing Group	ADR/RID/ADN; IMDG; ICAO	Not applicable for aerosols
14.5 Environment hazards	Marine Pollutant	Not applicable for aerosols.
14.6 Special precautions for user	EMS Tunnel restriction code	F-D, S-U (D)
<b>14.7 Maritime transport in bulk according to IMO instruments:</b> Not applicable for aerosol		Not applicable for aerosols.

#### **15. REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been performed on this product.

#### **16. OTHER INFORMATION**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006.

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards:	On basis of test data/Expert judgement.
Health hazards:	Calculation method.
Environmental hazards:	Not classified.

#### Full text of H-statements referred to under sections 2 and 3

- H220 Extremely flammable gas.
- H222 Extremely flammable aerosol.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H314 Cause severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H413 May cause long lasting harmful effects to aquatic life.

#### Abbreviations and acronyms

- ATE: Acute Toxicity Estimate. CAS: Chemical Abstract Service (division of the American Chemical Society).
- STOT: Single Target Organ Toxicity
- SE: Single exposure
- DNEL: Derived no effect level a level above which humans should not be exposed.
- PNEC: Predicted No Effect Concentration
- TWA: Time-weighted average.
- SCL: Specific Concentration Limit
- STEL: Short-term exposure limit.
- PBT: Persistent, Bioaccumulative, Toxic.
- vPvB: very Persistent and very Bioaccumulative.

**Legal disclaimer**: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]