

Emissco

Alloy Wheel Cleaner Bulk

5L / 25L / IBC

Technical Data Sheet



Alloy Wheel Cleaner

PRODUCT OVERVIEW

Emissco Wheel cleaner makes light work of tough, baked on brake dust and road grime.

FEATURES AND BENEFITS

- Ready to use
- Removes baked on brake dust & road grime
- Leaves a clean and polished surface

TYPICAL APPLICATIONS

Simply spray on, allow the chemical to work in and rinse off, For tough to remove grime we recommend agitating the cleaner using a wheel cleaning brush. Suitable for use via an application sprayer / pressure washer to spray on and pressure wash off.

DIRECTIONS FOR USE

Directions: Ensure wheels are cool before applying. Shake product well before use. Apply to one wheel at a time, leave to penetrate for 2-5 min depending on build up. Agitate with brush, rinse off with plenty of clean water.

TECHNICAL DATA

APPEARANCE	Colourless
ODOUR	Paraffinic
pH	Not applicable
VOC Content	12.5%
Solubility	Miscible with water

The product does not contain any substance(s) classified as PBT or vPvB.

PACKAGING SPECIFICATIONS

PRODUCT NUMBER	5L-SPB1045 / 25L-SPB1046
UNIT SIZE	IBC- SPB1055
CASE SIZE	5L-4 / 25L Single /IBC SLG
UFI:	5L - 4QV2-70YA-Y008-ATAX
	25L - 4QV2-70YA-Y008-ATAX
	IBC - 4QV2-70YA-Y008-ATAX
STORAGE	Store below 50°C, avoid direct sunlight

STORAGE



Emissco Products Ltd,
Brookhouses Industrial Estate
New Haden Road Cheadle
Staffordshire ST10 1UF
Tel: +44 (0) 1538 752561

Email: info@emissco.co.uk



Emissco Products Limited

Brookhouses Industrial Estate, New Haden Road
Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561

Email: info@emissco.co.uk

www.emissco.co.uk

Part of the Klarius Group

Emissco is part of the Klarius Group, providing centrally managed manufacturing and engineering service solutions to multiple industrial sectors.