

Emissco

Maintenance Fluid

5L / 25L

Technical Data Sheet



Maintenance Spray

PRODUCT OVERVIEW

Protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything. It even removes grease, grime & more from most surfaces.

FEATURES AND BENEFITS

- Lubricates moving parts
- Removes moisture
- Short term corrosion protection
- Cleans off tar and oil residue

TYPICAL APPLICATIONS

On all ferrous metals, as a general purpose lubricant specifically designed to release seized and corroded components, as a general purpose lubricant, a dewatering fluid or as a temporary anti-corrosive coating.

DIRECTIONS FOR USE

Directions: Shake can well before use. This multi-functional spray can be used in many applications, it is ideal for lubricating hinges, nuts, bolts and any seized parts, it will protect electrical systems from moisture induced faults. It will loosen tar, oil & label adhesive and protect against corrosion.

TECHNICAL DATA

APPEARANCE	Pale brown
ODOUR	Fragranced
VOC Content:	94.6%
Flash point	>40°C
FLAMMABILITY	Flammable
PRESSURE	70 PSI (at 25°C)

PACKAGING SPECIFICATIONS

PRODUCT NUMBER	SPB1026 / SPB1043
UNIT SIZE	5L - 25L
CASE SIZE	4 5L / Single 24L
UFI:	62U2-MOUT-4006-R287
STORAGE	Store below 50°C, avoid direct sunlight



Emissco Products Ltd,
Brookhouses Industrial Estate
New Haden Road Cheadle
Staffordshire ST10 1UF
Tel: +44 (0) 1538 752561

Email: info@emissco.co.uk



Emissco Products Limited

Brookhouses Industrial Estate, New Haden Road
Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561

Email: info@emissco.co.uk

www.emissco.co.uk

Part of the Klarius Group

Emissco is part of the Klarius Group, providing centrally managed manufacturing and engineering service solutions to multiple industrial sectors.