



Page 1 of 8 Issued: 26/08/2025; Revision No.1 Regulation (EU) 2020/878

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 **Product Identifier**

> Material name Fabric Upholstery Cleaner 5L - 25L - IBC

Product code SPB1008 - SPB1032 - SPB1062

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use Cleaning solution

1.3 Details of the supplier of the safety data sheet

> Manufacturer/Supplier: Emissco Ltd

New Haden Road Brookhouses Ind Est

Cheadle Staffordshire ST10 1UF

Tel. 01538 752561

Email (for SDSs): info@emissco.co.uk

1.4 Emergency tel. no.: +44 (0) 1538 752561 (Available 9am-5pm)

National emergency UK NPIS 0344 892 0111 Ireland NPIC (01) 809 2566 telephone number: National Poisons Information Centre on 01 809 2166

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) 1272/2008: Classification, Labelling and Packaging of Substances and Mixtures (CLP):

Physical and Chemical Hazards Not classified. Human health Not classified. Environment Not classified.

2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC:

Signal word: None

Hazard Pictogram(s): None

Hazard Statements: None

Precautionary

Statements: None

2.3 Other hazards None known.

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Endocrine Disruptor Information The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Page 2 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Hazardous components

Chemical Name	CAS No./ EC No./ Index No./ Reg. No	Classification (1272/2008/EC)	SCL/ M-Factor/ ATE	Content
ETHANOL	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam.Liq.2; H225 Eye Irrit. 2; H319	SCL: H319 C ≥ 50%	1-5%
2-BUTOXYETHANOL Syn. BUTYL GLYCOL	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Ac.Tox.4; H302 Sk.Irrit.2; H315 Eye Irrit. 2; H319 Ac.Tox.3; H331	Inhalation ATE: 3 mg/L (Vapours) Oral ATE: 1200 mg/kg bw	1-5%
SODIUM BENZOATE	532-32-1 208-534-8 01-2119460683-35	Eye Irrit. 2; H319	No relevant data.	0-1%
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3 614-482-0	Ac.Tox.4; H302 Eye Dam.1; H318	No relevant data.	0-0.5%

See Section 16 for the full text of the H-statements noted above.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

Skin contact: Wash with soap and water. Seek medical advice if irritation develops.

Eye contact: Rinse with water for 10 minutes and seek medical advice if irritation persists.

Ingestion: Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

Inhalation: Remove to fresh air. Seek medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed: No undue effects in normal usage.
- 4.3 Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide; dry chemical powder; alcohol or polymer foam.

Unsuitable extinguishing media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.

Page 3 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

5.3 Advice for fire-fighters:

Special protective equipment:

Further information:

Wear self-contained breathing apparatus. Use personal protective equipment. Standard procedure for chemical fires. Use water spray to cool containers.

Do not allow fire run-off to enter drains.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

6.4 References to other sections: See sections 8 and 13 for personal protection and disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Handle with care. General good housekeeping practices. Do not eat or drink whilst using the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container tightly closed.

7.3 Specific end use(s): No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

Chemical name	8hr TWA	15min STEL	Reference
Ethanol	1920 mg/m ³ /1000 ppm	=	UK EH40/2005
	380 mg/m ³ /200 ppm	1520 mg/m ³ /800 ppm	Germany
2-Butoxyethanol	123 mg/m ³ /25 ppm	246 mg/m ³ /50ppm	UK EH40/2005 (Sk, BMGV)
	49 mg/m ³ /10 ppm	196 mg/m ³ /40 ppm	Germany

(BMGV = biological monitoring guidance value, refer to EH40/2005).

Information on monitoring procedures:

Reference standard: EN 14042:2003 - "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

Page 4 of 8 Issued: 18/08/2025; Revision No.1

Regulation (EU) 2020/878

DNEL:

DNEL (workers)	Ethanol	2-Butoxyethanol
Chronic systemic effects (dermal)	343 mg/kg bw/day	No hazard identified
Chronic systemic effects (inhalation)	380 mg/m^3	98 mg/m^3

DNEL (consumers)	Ethanol	2-Butoxyethanol
Chronic systemic effects (dermal)	206 mg/kg bw/day	No hazard identified
Chronic systemic effects (inhalation)	114 mg/m^3	59 mg/m^3
Chronic systemic effects (oral)	87 mg/kg bw/day	6.3 mg/kg bw/day

PNEC:

Environment	Ethanol	2-Butoxyethanol	Alcohols, C9-11, ethoxylated
Aquatic compartment			
Fresh water	960 μg/L	8.8 mg/L	103.79 μg/L
Marine water	790 μg/L	880 μg/L	103.79 μg/L
Water-intermittent (sporadic) release	2.75 mg/L	26.4 mg/L	14 μg/L
Dry Sediment – fresh water	3.6 mg/kg	34.6 mg/kg	13.7 mg/kg
Dry Sediment – marine water	2.9 mg/kg	3.46 mg/kg	13.7 mg/kg
Terrestrial compartment			
Dry soil	630 μg/kg	2.33 mg/kg	1 mg/kg
Sewage treatment plant	580 mg/L	463 mg/L	1.4 mg/L

8.2 Exposure controls

Appropriate engineering controls: Ensure there is sufficient ventilation of the area.

Personal protection

Eye/face protection: Chemical splash goggles if eye contact is reasonably probable. The selected goggles or glasses must satisfy the European standard EN 166.

Skin protection: Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time \geq 480 min. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice.

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn. The selected protective clothing must satisfy the standard EN 13034, which describes clothing offering limited 8-hour protection against splashes. Use PPE that is chemically resistant to the product and prevents skin contact. (Sk) noted above means can be absorbed through skin.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required, in which case use a respirator fitted with an organic vapour filter.

Environmental exposure controls: Do not discharge into drains or rivers.

Page 5 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid Colour Colourless Odour Fragranced Melting point/freezing point No data available Boiling point/range No data available **Flammability** Not flammable Lower/Upper explosion limit Not applicable 62°C (estimated) Flash point

Auto-ignition temperature No information available

Decomposition temperatureNo data availablepHNot availableKinematic viscosityNo data availableSolubilitySoluble in water.

Partition coefficient: n-octanol/water Not applicable for mixtures

Vapour pressureNo data availableDensityNo data availableRelative vapour densityNo data availableParticle characteristicsNot applicable

9.2 Other information: VOC Content: 7%

10. STABILITY AND REACTIVITY

10.1 Reactivity Generally non-reactive.

10.2 Chemical stability10.3 Possibility of hazardous reactionsNone if stored and used as directed.

10.4 Conditions to avoid 10.5 Incompatible materialsNone known.
None known.

10.6 Hazardous decomposition products Oxides of carbon, acrid smoke, irritating fumes.

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

The mixture as a whole has not been tested for toxicological effects. Toxicological data on individual components is listed below.

Chemical name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Ethanol	10,470 mg/kg (Rat)	50,000 mg/m ³ (Rat)	No adverse effect
2-butoxyethanol	1300 mg/kg (Rat)	No adverse effect	No adverse effect
Alcohols, C9-11, ethoxylated	301 mg/kg (Rat)	>1600 mg/m ³ (Rat)	2001 mg/kg (Rabbit)

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Page 6 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Mutagenicity: Based on available data, the classification criteria are not met.

Toxicity for reproduction: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT)

Single exposure: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT)

Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards No information available.

11.2.1. Endocrine disrupting properties The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or

Commission Delegated regulation (EU) 2017/2100 or Commission Regulation

(EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

12. ECOLOGICAL INFORMATION

The mixture as a whole has not been tested for ecological effects. Ecological data on individual components is listed below.

Chemical name	Species	Test	Value
Ethanol	Daphnia	EC50 48h	5,012 mg/l
	Fish	LC50 96h	11,200 mg/l
	Algae	EC50 72h	275 mg/l
2-butoxyethanol	Daphnia	EC50 48h	881 mg/l
	Rainbow trout	LC50 96h	1,474 mg/l
	Algae	EC50 72h	623 mg/l
Alcohols, C9-11, ethoxylated	Daphnia	LC50 48h	2.5 mg/l
	Rainbow trout	LC50 96h	5-7 mg/l
	Algae	ErC50 96h	1.4 mg/l

12.1 Toxicity Based on available data, the classification criteria are not met.

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential Low potential for bioaccumulation.

12.4 Mobility in soil Soluble in water.

12.5 Results of PBT and vPvB assessment Contains no PBT or vPvB substances.

Page 7 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

12.6 Endocrine disrupting propertiesThe substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Persistent Organic PollutantsThis product does not contain any known or suspected substance.

Ozone-depleting substances (ODS)

regulation (EC) 1005/2009 This product does not contain any known or suspected substance.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations. Do not dispose of waste into sewer.

Do not dispose of together with household waste. Contact licensed waste disposal company. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Do not burn or use a cutting torch on the empty container.

14. TRANSPORT INFORMATION

Not classified for transport.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

16. OTHER INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards: Not classified. Health hazards: Not classified. Environmental hazards: Not classified.

Page 8 of 8 Issued: 18/08/2025; Revision No.1 Regulation (EU) 2020/878

Full text of H-statements referred to under sections 2 and 3

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.

CAS: Chemical Abstract Service (division of the American Chemical Society).

STOT: Single Target Organ Toxicity

SE: Single exposure

DNEL: Derived no effect level – a level above which humans should not be exposed.

PNEC: Predicted No Effect Concentration

TWA: Time-weighted average. SCL: Specific Concentration Limit STEL: Short-term exposure limit.

PBT: Persistent, Bioaccumulative, Toxic.

vPvB: very Persistent and very Bioaccumulative.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]



Emissco Products Limited

Brookhouses Industrial Estate, New Haden Road Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561 Email: info@emissco.co.uk www.emissco.co.uk

Part of the Klarius Group

Emissco is part of the Klarius Group, providing centrally managed manufacturing and engineering service solutions to multiple industrial sectors.