



Page 1 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Material name : SPA1013 Upholstery Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cleaning foam

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Emissco Ltd

New Haden Road Brookhouses Ind Est

Cheadle Staffordshire ST10 1UF

Tel. : 01538 752561

Email (for SDSs): orders@emissco.co.uk

1.4 Emergency tel. no.: 01538 752561 (Available 9am-5pm)

National emergency

telephone number:

UK NPIS 0344 892 0111 Ireland NPIC (01) 809 2566

National Poisons Information Centre on 01 809 2166

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation (EC) 1272/2008: Classification, Labelling and Packaging of Substances and Mixtures (CLP):

Physical and Chemical Hazard Aerosol Cat. 1; H222; H229 Human health Sk.Irrit.2; H315; Eye Irrit.2; H319

Environment Not classified

2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC:

Signal word: Danger Hazard Pictogram(s):





Hazard Statements: H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary

Statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

P261 Avoid breathing vapour/spray.

P280 Wear protective gloves/eye/face protection. P302+P352 IF ON SKIN: Wash with plenty of water.

Page 2 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

Precautionary

Statements (continued): P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/national regulations.

2.3 Other hazards None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures:

Hazardous components

Chemical Name	CAS No./	Classification	SCL/	Content
	EC No./	(1272/2008/EC)	M-Factor/	
	Index No./		ATE	
	Reg. No			
LIQUEFIED PETROLEUM GAS	68476-85-7	Flam.Gas 1; H220	No relevant data.	10-20%
(contains <0.1% 1,3-butadiene)	270-704-2	Gas under pressure; H280		
	-			
PROPAN-2-OL	67-63-0	Flam. Liq.2; H225	No relevant data.	1-5%
	200-661-7	Eye Irrit.2; H319		
	603-117-00-0	STOT SE3; H336		
	01-2119457558-25			
ALCOHOLS C9-11,	68439-46-3	Acute Tox.4; H302	No relevant data.	0.1-2%
ETHOXYLATED	614-482-0	Eye Dam.1; H318		
	-			
	01-2119980051-45			
SODIUM HYDROXIDE	1310-73-2	Eye Irrit. 2; H319:	SCL: $0.5\% \le C < 2\%$	0.5-<2%
	215-185-5	Skin Irrit. 2; H315:	SCL: $0.5\% \le C < 2\%$	
	011-002-00-6	Skin Corr. 1B; H314:	SCL: $2\% \le C < 5\%$	
	01-2119457892-27	Skin Corr. 1A; H314:	SCL: C ≥ 5%	
(1-HYDROXYETHYLIDENE)	29329-71-3	Eye Irrit.2; H319	No relevant data.	0.1-2%
BISPHOSPHONIC ACID,	249-559-4	Aq.Chron.4; H413		
SODIUM SALT	-			
TETRAPOTASSIUM	7320-34-5	Eye Irrit.2; H319	No relevant data.	0.1-2%
PYROPHOSPHATE	230-785-7			
	-			
SODIUM	1300-72-7	Eye Irrit.2; H319	No relevant data.	0.1-2%
XYLENESULPHONATE	215-090-9			
	-			
1-METHOXY-2-PROPANOL	107-98-2	Flam.Liq.3; H226	No relevant data.	0.1-1%
	203-539-1	STOT SE3; H336		
	603-064-00-3			
	01-2119457435-35			

See Section 16 for the full text of the H-statements noted above.

Ingredient comments: also contains <0.1% fragrance.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

Skin contact: Wash with soap and water. Seek medical advice if irritation develops.

Page 3 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

Eye contact: Flush with water for 10 minutes and seek immediate medical advice.

Ingestion: Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

Inhalation: Remove to fresh air. Seek medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed: May cause skin and eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment needed: See skin and eye contact information above.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide; dry chemical powder; alcohol or polymer foam.

Unsuitable extinguishing media: High volume water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.

5.3 Advice for fire-fighters:

Special protective equipment:

Further information:

Wear self-contained breathing apparatus. Use personal protective equipment. Standard procedure for chemical fires. Use water spray to cool containers.

Do not allow fire run-off to enter drains.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

6.4 References to other sections: See sections 8 and 13 for personal protection and disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not breathe spray mist. Avoid contact with skin and eyes. Handle with care.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area, below 50°C. Protect from frost, heat and sunlight. Keep away from food, drink and animal feed.

Page 4 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

7.3 Specific end use(s): No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

Chemical name	8hr TWA	15min STEL	Reference
Liquefied petroleum gas	1750 mg/m ³ /1000ppm	2810 mg/m ³ /1250 ppm	UK EH40/2005
Propan-2-ol	999 mg/m ³ /400 ppm	1250 mg/m ³ /500 ppm	UK EH40/2005
Sodium hydroxide	-	2 mg/m ³	UK EH40/2005
1-Methoxy-2-Propanol	100 ppm	150 ppm	UK EH40/2005 (Sk)

Information on monitoring procedures:

Reference standard: EN 14042:2003 - "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents"

DNEL:

DNEL (workers)	Propan-2-ol
Chronic systemic effects (dermal)	888 mg/kg/bw/day
Chronic systemic effects (inhalation)	500 mg/m ³

DNEL (consumers)	Propan-2-ol
Chronic systemic effects (dermal)	319 mg/kg/bw/day
Chronic systemic effects (inhalation)	89 mg/m ³
Chronic systemic effects (oral)	26 mg/kg bw/day

PNEC: No data available.

8.2 Exposure controls

Appropriate engineering controls: Ensure there is sufficient ventilation of the area.

Personal protection

Eye/face protection: Chemical splash goggles if eye contact is reasonably probable. The selected goggles or glasses must satisfy the European standard EN 166.

Skin protection: Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time \geq 480 min. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice.

Depending on the conditions of use, protective gloves, apron, boots, head and face protection should be worn. The selected protective clothing has to satisfy the standard EN 13034, which describes clothing offering limited 8 hour protection against splashes. Use PPE that is chemically resistant to the product and prevents skin contact. (Sk) noted above means can be absorbed through skin.

Respiratory protection: If Workplace Exposure Limit(s) listed above are exceeded, respiratory protection may be required, in which case use a respirator fitted with an organic vapour filter.

Environmental exposure controls: Do not discharge into drains or rivers.

Page 5 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical stateAerosolColourWhiteOdourFragrancedMelting point/freezing pointNo data availableBoiling point/rangeNo data availableFlammabilityExtremely flammable

Lower/Upper explosion limit 0.8% / 12.0% **Flash point** <0°C

Auto-ignition temperature>230°CDecomposition temperatureNot applicable

pH 11.3

Kinematic viscosity

Solubility

Partition coefficient: n-octanol/water

No data available

Miscible with water

Not applicable for mixtures

Vapour pressureNo data availableDensityNo data availableRelative vapour densityNo data availableParticle characteristicsNot applicable

9.2 Other information: VOC Content: 17.3%

10. STABILITY AND REACTIVITY

10.1 Reactivity Generally non-reactive.

10.2 Chemical stability10.3 Possibility of hazardous reactionsNone if stored and used as directed.

10.4 Conditions to avoidNone known.10.5 Incompatible materialsNone known.10.6 Hazardous decomposition productsOxides of carbon.

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

The mixture as a whole has not been tested for toxicological effects. Toxicological data on individual components is listed below.

Chemical name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Liquefied petroleum gas	Not applicable	>20mg/l (Rat) 4h	Not applicable
Alcohols, C9-11, ethoxylated	3488 mg/kg (Rat)	>1600 mg/m³ (Rat) 4h	>2000 mg/kg (Rabbit)
Propan-2-ol	>5000 mg/kg (Rat)	No data available	>5000 mg/kg (Rabbit)
Sodium hydroxide	2000 mg/kg (Rat)	No data available	No data available
Hydroxyethylidene -1,1,-diphosphonic	>2850 mg/kg (Rat)	No data available	>5000 mg/kg (Rat)
acid, tetrasodium salt			

Acute toxicity: Based on available data the classification criteria are not met.

Skin corrosion/irritation: Classified as Sk.Irrit.2; H315

Serious eye damage/eye irritation: Classified as Eye Irrit.2; H319

Respiratory or skin sensitisation: Based on available data the classification criteria are not met.

Page 6 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

Carcinogenicity: Based on available data the classification criteria are not met.

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Reproductive toxicity: Based on available data the classification criteria are not met.

STOT – single exposure: Based on available data, the classification criteria are not met.

STOT – repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards No information available.

Endocrine disrupting propertiesNo ingredients have been identified as having endocrine disrupting properties.

12. ECOLOGICAL INFORMATION

The mixture as a whole has not been tested for ecological effects. Ecological data on individual components is listed below.

Chemical name	Species	Test	Value
Alcohols, C9-11, ethoxylated	Fish	LC50 96h	5-7 mg/l
	Daphnia	EC50 48h	2.5 mg/l
	Algae	ErC50 96h	1.4 mg/l
Propan-2-ol	Daphnia	EC50 48h	>100 mg/l
	Golden ide	LC50 48h	>100 mg/l
	Algae	EC50 72h	>100 mg/l
Sodium hydroxide	Daphnia	EC50 24h	76 mg/l
	Rainbow trout	LC50 48h	45.4 mg/l
	Algae		No data available.
Hydroxyethylidene -1,1,-diphosphonic acid, tetrasodium salt	Fish	EC50 96h	368 mg/l
	Daphnia	LC50 48h	527 mg/l
	Algae	EC50 72h	9.16 mg/l

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.1 Toxicity Based on available data the classification criteria are not met.

12.2 Persistence and degradability The surfactant(s) contained in this preparation complies (comply)

with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004

on detergents.

12.3 Bioaccumulative potential Low potential for bioaccumulation.

12.4 Mobility in soilNot expected to partition to sediment and wastewater.

12.5 Results of PBT and vPvB assessmentContains no PBT or vPvB substances.

12.6 Endocrine disrupting propertiesNo ingredients have been identified as having endocrine disrupting properties.

12.7 Other adverse effects

Persistent Organic PollutantThis product does not contain any known or suspected substance.

Ozone Depletion Potential This product does not contain any known or suspected substance.

Page 7 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations.

Contact licensed waste disposal company. Most aerosols can be recycled. Do not pierce or burn or use a cutting torch on the empty aerosol container.

14. TRANSPORT INFORMATION

General Information: The UN number for all aerosols is 1950. Aerosols packed in fibreboard cartons up to 30 kg gross weight, or shrink/stretch wrapped onto trays up to 20 kg gross weight may be transported as Limited Quantities, and should display the following symbol on the pack:



The following information relates to all other aerosols not transported as Limited Quantities:

14.1 UN number ADR/RID/ADN; IMDG; ICAO 1950

14.2 UN proper shipping name AEROSOLS

14.3 Transport hazard class(es) ADR/RID/ADN Class 2, 5F

ADR/RID/ADN Class Class 2, Gases

ADR Label No. 2.1

IMDG Class 2

ICAO Class/Division 2

ICAO Subsidiary risk 2.1



Transport labels

14.4 Packing Group ADR/RID/ADN; IMDG; ICAO Not applicable for aerosols

14.5 Environment hazards Marine Pollutant Not applicable for aerosols.

14.6 Special precautions for user EMS F-D, S-U

Tunnel restriction code (D)

14.7 Maritime transport in bulk according to IMO instruments: Not applicable for aerosols.

Page 8 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

16. OTHER INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

Physical hazards: On basis of test data/Expert judgement.

Health hazards: Calculation method. Environmental hazards: Not classified.

Full text of H-statements referred to under sections 2 and 3

H220	Extremely	flammable	gas.

- H222 Extremely flammable aerosol.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H314 Cause severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.

CAS: Chemical Abstract Service (division of the American Chemical Society).

STOT: Single Target Organ Toxicity

SE: Single exposure

DNEL: Derived no effect level – a level above which humans should not be exposed.

PNEC: Predicted No Effect Concentration

TWA: Time-weighted average. SCL: Specific Concentration Limit STEL: Short-term exposure limit.

PBT: Persistent, Bioaccumulative, Toxic.

vPvB: very Persistent and very Bioaccumulative.

Page 9 of 9 Issued: 13/01/2023; Revision No.1 Regulation (EU) 2020/878

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]



Emissco[™]

Emissco Limited Brookhouse Industrial Estate, New Haden Road, Cheadle, Stoke on Trent ST10 1UF

Phone: + 44 (0)1538 752 561 Email: info@emissco.co.uk

www.emissco.co.uk